

# Aaron-Bradley™

## Dock Seals & Shelters



**Providing Solutions for Your Dock Equipment Needs**



# Dock Seals



## 'DS' Dock Seal with Head Pad

- Head pad style with high density foam assures maximum compression and resilience.
- Head Pads available in 12", 18" and 24" heights
- Lock-stitched seams
- Best application for door sizes: 7' to 9' wide and 8' to 9' high



## 'DSC' Dock Seal with Head Curtain

- Head curtain style with 3/4" galvanized pipe for frontal support.
- Variable curtain lengths with Velcro splits and optional rope pull ups
- Best application for door sizes: 7' to 9' wide and 9' to 10' high



## 'L' Pad Dock Seal

- Designed for all applications requiring dock seals with door openings up to 10' 0" wide
- Preferred for Refrigerated trailer applications
- Provides full width access to inside of trailer
- Optional 'Z' Lip for swing style doors
- Unit dimension: 11' 7" wide x 10' 6" high
- Available Projections: 20" , 25" and 30"



## 'DSA' Dock Seal with Adjustable Head Pad

- Compressible foam vertical side pads
- Full range manual adjustment of head pad
- Single weighted, counter-balanced adjustment
- 36" of head pad vertical movement to service a broad range of truck heights from 10' 6" to 13' 6"



# Dock/Truck Shelters



## 'RT' Rigid Truck Shelter

- Side and top curtain wiper action allows full access to rear of trailer
- Raked header to allow water run-off. Flat header available
- Fiberglass top and translucent vinyl side or fiberglass side panels allow natural light
- Heavy duty steel protector bumpers for protection and support
- Automatic variable truck height coverage for 12' to 13' 6"



## 'FT' Flexible Frame Truck Shelter

- Corrosion resistant, flexible steel frame
- Spring loaded frame expands and retracts for a snug fit to trailer
- Reinforced wear areas protect unit from abrasive wear
- Automatic variable truck height coverage for 12' to 13' 6"



## 'S3' & 'S4' Soft-sided Truck Shelter

- Memory core foam vertical side pads eliminate damage due to off-center loading
- The vertical side curtains, with stiffeners, provide a maximum weather-tight seal, a safer dock environment and unrestricted access to trailer
- Head curtain with stiffeners
- Protective corner reinforcement pleats and wind retention straps
- Bottom draft pads reduce energy loss between the curtain and side members
- Sloped rigid head frame for water run-off and translucent top panel to allow natural light
- Optional inflatable head curtain for improved top seal



## 'INFS-1 / 2' Inflatable Truck Shelters

- Pushes tight against the side and the top of the trailer to keep out inclement weather and reduce energy loss
- **INFS-1** automatically inflates when trailer is secured
- Quick deflation of the vinyl bag, and return to the stored position when loading operation is complete
- High-wear resistant fabric with double lock stitching, rigid frame with translucent side and top covers and head mounted motor and blower
- **INFS-2** is inflated by operator when trailer is secured
- Blower runs continuously during loading operations
- Automatically retracts when operation is complete
- Returns to stored position away from the trailer



# Rail Shelters

## 'INFS-R' Inflatable Rail Shelter

- Inflatable Shelter improves safety and productivity while reducing energy loss during loading/unloading operations
- Shelter is activated when railcar is positioned creating a weather-tight seal
- Available in custom sizes and projections to suit specific applications
- Features high wear resistant fabric, quick retraction system and on/off pilot light
- Four sided units with bottom are available including a Velcro attached break-away fabric panel



## 'RSV' Flexible Frame Rail Shelter

- Provides a weather protected enclosure between the rail car and dock door
- Reduces energy loss
- Spring tension while in the extended position holds the shelter firmly against the rail car
- A foam cube on the leading edge of the steel frame seals against the rail car provides personnel safety and protection of product
- Unit can be retracted against the building to minimize potential damage
- Available in 3 and 4 sides models



# Options - Warranty


## Fabric Properties & Colors

Test / Method & Available Colors	Fabric / Weight / Model Number			
	High-tear	Vinyl		Fire Retardant
	50oz, AB500	22oz, V22	40oz, V40	40oz, FR400 *
Tongue Tear Method 5134.1	250 x 250	140 x 140	165 x 160	308 x 283
Abrasion Resistance (Cycles)	10,000 +	1,000	3,000	6,000
Grab / Strip Tensile	1,450 x 1,100	500 x 470	450 x 300	638 x 625
Cold Test (-40° F)	Pass	Pass	Pass	Pass
Black				
Blue	--			--
Brown	--			--
Tan	--			--
Green	--			--
Red	--		--	--
Yellow	--		--	--


## Optional Wear Pleats

4", 8" or 16" Exposure

(4" exposure shown on "DSC" dock seal)



Tapered Units - Designed for inclined or declined approaches



Inclined

Declined

## Warranty

ABC Docks, LLC warrants dock seals and shelters against defective material and faulty workmanship for a period of one (1) year commencing at the time of shipment from our plant. All replacement parts will be F.O.B. our plant and will be issued upon return of defective parts or as designated by ABC Docks, LLC. This warranty shall not cover failure due to misuse, negligence, accident, alteration or repair not authorized by ABC Docks, LLC. All applicable and incurred labor and / or freight charges are the customer's responsibility. *"No other warranty exists except as stated herein."*


ABC Docks, LLC has no liability for general, consequential, incidental or special damages; is not responsible for loss of use of any equipment, and expressly disclaims any and all implied warranties. In the United States, some states do not allow exclusion or limitation of incidental or consequential damages, so the limitations above may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

ABC Docks, LLC is constantly striving to improve its products. Change in design and improvement will be made whenever the manufacturer believes the performance or operation of the equipment will be improved with no obligation to incorporate any such improvement in any equipment, which has been shipped or is in service.







# Providing Solutions



Automatic Trailer Restraint



DockMaster™ - Leveler/Scissor Lift



Hydraulic Vertical Storing Leveler



Mechanical EOD

ABC Docks, LLC  
P.O. Box 1028  
Franklin, TN 37065-1028  
Ph) 800-394-5944 / 615-807-1141  
Fax) 615-807-1752  
Web: [www.aaronbradley.com](http://www.aaronbradley.com)  
Email: [sales@abcdocks.com](mailto:sales@abcdocks.com)

Distributed By:

**Specializing in Dock Equipment  
& Scissor Tables**